

Regd. No.- 003080/DRG/S/2017

INFRA NDT TRAINING CENTRE

(House of NDE, Welding Technology, ASME, ISO, Metallurgy & Materials Certification)

Address: MIG-II, H.No 358, Amdi Nagar, Hudco, Bhilai Nagar

E-mail : infra270@gmail.com, ssarbbajna@gmail.com, Mob: 09993785454, 09165795953

NDE CERTIFICATION

*This is to certify that **Mr. DEEP ROY** of **M/S. METALL STRUCTURES PVT. LTD., BHILAI** has fulfilled the requirements of **ASNT-SNT-TC-1A 2020 Edition** and Certified as level **II** to the method **VISUAL TESTING** after demonstrating proficiency by successfully completing the General, Specific and Practical Examination. This certificate is issued to enable the employer to certify the individual to the requirements of ASNT-SNT-TC-1A.*

DETAIL OF EXAMINEE

Educational Qualification: HIGHER SECONDARY

Work Experience related to NDT Profession: 14 Year

VISION TEST

Near Vision: OK

Color Vision: NORMAL

DETAIL OF EXAMINATION CURRICULUM

Venue: BHILAI - INDIA

Training Hours: 16 Hrs. (17-09-2024 to 18-09-2024)

Date of Initial Issue: 25-09-2024

Valid up to: 24-09-2029



EXAMINATION RESULT

Certificate No.: INDTTC/VT/2024/B/001

Examination	Grade Minimum	Grade Obtained
General	70%	80
Specific	70%	80
Practical	70%	95
Composite	80%	85

(Composite is the average of General, Specific and Practical Grade)

SUROJIT SARBBAJNA
COURSE DIRECTOR



RAHUL KUMAR SINGH
ASNT NDT LEVEL III
(RT, UT, MPT, PT, VT)
ID 236918

ASNT NDT LEVEL- III EXAMINER



Regd. No.- 003080/DRG/S/2017

INFRA NDT TRAINING CENTRE

(House of NDE, Welding Technology, ASME, ISO, Metallurgy & Materials Certification)

Address: MIG-II, H.No 358, Amdi Nagar, Hudco, Bhilai Nagar

E-mail : infra270@gmail.com, ssarbbajna@gmail.com, Mob: 09993785454, 09165795953

NDE CERTIFICATION

*This is to certify that **Mr. DEEP ROY** of **M/S. METALL STRUCTURES PVT. LTD., BHILAI** has fulfilled the requirements of **ASNT-SNT-TC-1A 2020 Edition** and Certified as level **II** to the method **LIQUID PENETRANT TESTING (Technique : Solvent Removal)** after demonstrating proficiency by successfully completing the General, Specific and Practical Examination. This certificate is issued to enable the employer to certify the individual to the requirements of ASNT-SNT-TC-1A.*

DETAIL OF EXAMINEE

Educational Qualification: HIGHER SECONDARY

Work Experience related to NDT Profession: 14 Year

VISION TEST

Near Vision: OK

Color Vision: NORMAL

DETAIL OF EXAMINATION CURRICULUM

Venue: BHILAI - INDIA

Training Hours: 16 Hrs. (19-09-2024 to 20-09-2024)

Date of Initial Issue: 25-09-2024

Valid up to: 24-09-2029



EXAMINATION RESULT

Certificate No.: INDTTC/LPT/2024/B/001

Examination	Grade Minimum	Grade Obtained
General	70%	82
Specific	70%	80
Practical	70%	90
Composite	80%	84

(Composite is the average of General, Specific and Practical Grade)


SUROJIT SARBBAJNA
COURSE DIRECTOR



Rahul Kumar Singh

RAHUL KUMAR SINGH
ASNT NDT LEVEL III
(RT, UT, MPT, PT, VT)
ID 236918

ASNT NDT LEVEL- III EXAMINER



Regd. No.- 003080/DRG/S/2017

INFRA NDT TRAINING CENTRE

(House of NDE, Welding Technology, ASME, ISO, Metallurgy & Materials Certification)

Address: MIG-II, H.No 358, Amdi Nagar, Hudco, Bhilai Nagar

E-mail : infra270@gmail.com, ssarbbajna@gmail.com, Mob: 09993785454, 09165795953

NDE CERTIFICATION

This is to certify that Mr. DEEP ROY
of M/S. METALL STRUCTURES (P) LTD., BHILAI has fulfilled
the requirements of ASNT-SNT-TC-1A 2020 Edition and Certified as level II to the method
MAGNETIC PARTICLE TESTING after demonstrating proficiency by
successfully completing the *General, Specific and Practical Examination*. This certificate is
issued to enable the employer to certify the individual to the requirements of ASNT-SNT-TC-1A.

DETAIL OF EXAMINEE

Educational Qualification: **H.SC.**

Work Experience related to NDT Profession: **14 Year**

VISION TEST

Near Vision: **OK**

Color Vision: **NORMAL**

DETAIL OF EXAMINATION CURRICULUM

Venue: **BHILAI - INDIA**

Training Hours: **24 Hrs. (21-09-2024 to 23-09-2024)**

Date of Initial Issue: **25-09-2024**

Valid up to: **24-09-2029**



EXAMINATION RESULT

Certificate No.: **INDTTC/MPT/2024/B/001**

Examination	Grade Minimum	Grade Obtained
General	70%	88
Specific	70%	80
Practical	70%	90
Composite	80%	86

(Composite is the average of General, Specific and Practical Grade)

SUROJIT SARBBAJNA
COURSE DIRECTOR



RAHUL KUMAR SINGH
ASNT NDT LEVEL III
(RT, UT, MPT, PT, VT)
ID 236918

ASNT NDT LEVEL- III EXAMINER